Formulate 10' Vertical Curve - Kit 9

FMLT-WV10-09

Formulate[™] is a collection of sophisticated, ergonomically designed exhibit booths. Formulate combines state-of-the-art zipper pillowcase dye-sublimated fabric coverings with advanced lightweight aluminum structures to provide unique design, functionality, and style. The excellence of the Formulate line of displays, hanging structures and products is simply unmatched. Stretch fabric graphics are hand-sewn, durable and dry-cleanable.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- State-of-the-art 30mm aluminum tube frame with snap button assembly
- Easy to store and ship
- Quick to set up
- Table holds max 10 lbs / 4.5 kg

- Kit includes: one frame, one dye-sublimated pillowcase zipper graphic, stand-off monitor mount, side table, and one wheeled OCH2 and OCL storage case
- Lifetime hardware warranty against manufacturer defects

dimensions:

Annensions.		
Hardware	Graphic	
Assembled unit: 114"w x 92.8"h x 45.2"d	Refer to related graphic template for more information.	
Stand-off monitor mount (with table): 36.3"w x 92.7"h x 28.8"d Table dimensions: 20.5"w x 11.8"d Monitor mount: Max T.V. size is 36", 40 lbs.	Visit: www.exhibitors-handbook.com/ graphic-templates	
Approximate weight (includes graphic): 58.63 lbs / 26.6 kgs		

additional information:

One OCL case: 56" | x 19" h x 19" d One OCH2 case: 52"l x 29"h x 15"d

Graphic materials:

Shipping dimensions:

108.63 lbs / 49.27 kgs

Dye-sublimated zipper pillowcase fabric, 3mm white PVC

Approximate shipping weight (with case):

*Kit does not include monitor

Table colors:

Shipping















www.display-setup-animations.com

Parts Included		
Part Label	Qty	Part Code
FABRIC GRAPHIC	x1	WV10-01-G
LN114 BOLT	x2	LN114 BOLT
90 DEGREE ELBOW JOINT FOR 30MM TUBING	x2	TC-30-90
1270MM X 30MM TUBE	х6	WV10-01-T1
30MM CURVED TUBE WITH PART T AND 90B LEFT SIDE	x1	WV10-01-T2-L
30MM CURVED TUBE WITH PART T AND 90B RIGHT SIDE	x1	WV10-01-T2-R
R2250 (1163MM ARC) CURVED TUBE	x4	WV10-01-T2
(2) 128MM TUBES SWAGED WITH PART TC-30-T	x1	WV10-01-T4
(2) 128MM TUBES SWAGED WITH PART TC-30-T	x1	WV10-01-T7
(2) 128MM TUBES SWAGED WITH PART TC-30-X	x1	WV10-01-T5
STEEL PLATE FOR WVC	x2	WVC-PLATE-STD




art Label	Qty	Part Code	
OMM TUBE CLAMP	x2	ACC60	
MEDIUM MONITOR BRACKET	x1	MM-MB	
20 X 300 X 30 COUNTER	x1	CTWL03	WL-77
ARALLEL TUBE CLAMP FOR 30MM TUBES	x2	TCP-3030	TCP-3030
OMM TUBE SECTION	x2	WL-T3	WLLH-T-G
OP SINTRA GRAPHICS	x2	WLLH-T-G	
OMM TUBE SECTION	x1	WL-T13	
OMM TUBE SECTION	x1	WL-T6	
OMM TUBE SECTION	x1	WL-T7	
WL-T10	x1	RWL-T10	MM-MB
	•		WL-T10

STEP 1: ASSEMBLE FRAME

















STEP 4: ASSEMBLE LADDER FRAME






STEP 3: ATTACH GRAPHIC











STEP 5: ATTACH TABLE TO LADDER



STEP 6: ATTACH TABLE TO ACCENT FRAME




STEP 7: INSTALL MONITOR MOUNT









STEP 9: ATTACH TO BACKWALL WITH CLAMPS

